# TECH LIGHTING

# MERGE<sup>™</sup> 1.5 90 Degree L CONNECTOR RECESSED TRACK



The continuous line aesthetic created by the ELEMENT Merge 1.5 recessed track system is enhanced using a specifically engineered 90° turn connector. ELEMENT Merge recessed track can be designed to seamlessly make 90° same-plane turns for enhanced design interest while also allowing the option to add spot heads for accent and task lighting, all without adding more light fixtures to the space.


#### Pristine design and features:

- Option to add spot heads for accent and task lighting
- Low profile design for use in 2x4 construction

### Flanged option is field paintable

## **SPECIFICATIONS**


VOLTAGE	120V or 277V (Concealed 10 gauge, low-voltage bus bar, order 12-volt remote transformer sold separately)
CEILING APERTURE	1.5" beveled
CEILING APPEARANCE	Flanged: field paintable, with a 4.8" width overlapping ceiling cutout. Flangeless Lay-in: T-Grid optimized for 9/16" or 15/16"
HOUSING	IC Airtight (IC suitable up to R60 spray foam insulation)
TRANSITIONS	Seamlessly make 90° (same plane) turns for enhanced design
GENERAL LISTING	ETL
CONSTRUCTION	Housing: 20 gauge sheet metal Extrusion: Aluminum
HARDWARE	Steel
FINISH	White Powder Coat
WARRANTY*	1 year




MERGE shown flanged

\*Visit ELEMENT-lighting.com for specific warranty limitations and details. Notes: Typical max run length is 40' for the low-voltage bus which can be powered from both sides for a total of 80'; system wattage will impact max run length


# DIMENSIONS



Flanged 90° L connector (top view)



Flangeless 90° L connector (top view)



Lay-In 90° L connector (top view)

### GRIDS

#### CONNECTOR/TRANSITION

SYSTEM	TYPE	CEILING APPEARANCE	OUTPUT	FINISH
RLS1	L "L" CONNECTOR	RFRECESSED FLANGEDRLRECESSED FLANGELESSLILAY-IN (T-GRID)	0 NO OUTPUT - 12V BUS ONLY*	W MATTE WHITE
RLS1			0	W
*TRANSFORM	ER REQUIRED TO ENERGIZE	THE LOW-VOLTAGE BUS.		

#### **TRANSFORMERS\*** (ORDERED SEPARATELY)

ITEM	DESCRIPTION	DIMMING
700AT060EL 700AT152EL 700AT152ELD10 700AT150T 700AT150T277 700AT302EL 700AT300T277	ELECTRONIC, 60W, 120V ELECTRONIC, 150W, 120V ELECTRONIC, 150W, 120V MAGNETIC, 150W, 120V MAGNETIC, 150W, 277V ELECTRONIC, 300W, 120V MAGNETIC, 300W, 120V	ELV ELV 0-10V MAGNETIC ELV MAGNETIC
700A13001277	MAGNETIC, 300W, 277V	MAGNETIC

DO NOT LOAD TRANSFORMER ABOVE 70% OF RATED LOAD DUE TO IN-RUSH CURRENT. \*CONSULT SPEC SHEETS FOR DIMENSIONS.

**PROJECT INFO** 

FIXTURE TYPE & QUANTITY

JOB NAME & INFO

NOTES

# TECH LIGHTING

VISUAL COMFORT & CO.

7400 Linder Avenue, Skokie, Illinois 60077 T 847.410.4400 F 847.410.4500

© 2020 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark. Tech Lighting reserves the right to change specifications for product improvements without notification.